



ecoreTM


ATHLETIC



ecoreathletic.com



ITS ALL NEW



At Ecore, we've challenged ourselves
with one simple question:

Can a floor
do more?


Yes.

We believe that a floor is more than just a passive surface. It must work with the human body to provide support and sustain the ability for individuals to do what they love—longer. Your flooring should go beyond your expectations; it should benefit those who interact with it. At Ecore, we engineer performance well beyond industry standards and, through technology and innovation, are driven to provide solutions for challenges that real people face every day. Our goal is to not just provide flooring, but to provide flooring solutions that improve the lives of people across every segment of the population in every life.

ecore | Built by Yes.









To understand our company,
you have to embrace the idea that

Yes is More.


Ecore is dedicated to fully understanding the relationship between people and the surfaces they work, play and live on—and how we can contribute MORE. Safety, ergonomics, and acoustics are our core areas of opportunity to create dynamic surfaces that are catered to the individual and the specific application.

ecore™ | Built by Yes.







The Promise of
Safety




The safety of the athlete is paramount. From youth athletes to the elite professionals, it is rightfully the leading topic of conversation. At Ecore, our number one concern is keeping our athletes safe, so that they

can perform at their peak level for longer. Ecore surfaces mitigate injury, protect the body, and promote ultimate and safe performance.

Featuring Bounce



The Promise of Ergonomics



Running. Jumping. Falling.
And bouncing back. Time and
time again. From the casual
workout warrior to the serious
athlete, repetitive motion,
swift movement, and constant
impact can take a toll on the

body. At Ecore, we embrace
the science of Ergonomics—
the absorption of force and the
return of energy. We develop
flooring solutions that diminish
fatigue, minimize discomfort,
and allow athletes to perform

at their highest levels. We
make surfaces that sponsor
longevity through innovative
engineering and design.

Featuring Rally



The Promise of Acoustics



The more energy a product absorbs, the shorter its life cycle. For a product to absorb a lot of energy, it must be made of a material that will deflect, allowing the falling

object to penetrate or sink into the material. Ecore products feature a firm yet energy absorbing foundation that meets all physical requirements while maximizing acoustical

performance and therefore reducing noise in and between functional spaces overall.

Featuring SmashTile



Find your perfect Flooring Solution.

		Force Reduction	Energy Restitution
1	Everlast Collection		
4	Basic Rolls & Tiles	10.4	71.9
6	UltraTile	50.2	47.9
10	SmashTile	67.7	46.1
15	Performance Collection		
18	Motivate	14.4	66.8
20	Rally	35.4	53.7
22	Beast	11.4	72.2
24	Monster	38.1	53.5
28	Speed & Agility Turf	36.9 (8mm) 53.4 (15mm)	46.1 (8mm) 40.2 (15mm)
31	Elevate Collection		
34	Roster	19.1	62.8
36	Bounce 2	11.9	68.4
40	Spectator	-1.5	79.2
42	Frictional	-0.3	78.6
44	Aqueous	-1.7	78.8
46	Surface America		



A man in a dark tank top is captured in the middle of a kettlebell swing. He is leaning forward, with his arms extended, holding a large black kettlebell. The background is dark and out of focus, showing other gym equipment. The floor appears to be a textured rubber mat.

Everlast Collection

Durable

Safe

Superior

The Everlast Fitness Flooring family of products has been manufactured by Ecore since 1989. Each product in this offering consists of composition rubber.

Everlast Fitness Flooring is durable, while having excellent slip-resistant properties. Rubber's inherent traits make it superior at absorbing impact force. This unique combination of attributes makes composition rubber the ideal choice for fitness applications.

Everlast

PRODUCTS	PRODUCT FEATURES		CONSTRUCTION				
Everlast Collection	Description	Benefits	Colors	Rolls	Tiles	Planks	
Basic Rolls & Tiles	Composition rubber floor	Durable, easy to maintain, slip-resistant	24	●	●		
UltraTile®	Beveled tile featuring a patented footed system	Modular, easy installation & maintenance, slip-resistant, ADA compliant	17		●		
SmashTile	Molded tile featuring a patented wear layer	Extreme durability, ultimate sound and shock absorption	17		●		

Applications															
Restrooms	Locker Rooms	Cardio	Entrances & Common Areas	Light Weight Areas	Moderate Weight Areas	Extreme Weight Areas	Strength Equipment	Functional Training	Group Exercise	Indoor Turf	Food Service Area	Wet Areas	Retail	Ice Rinks	Tracks
		●		●			●							●	
		●		●	●	●	●								
				●	●	●	●								

Basic Rolls & Tiles

A top choice for fit-minded people and athletes that stands up to consistent daily pounding.



Basic Rolls and Tiles are the “original” composition rubber fitness floor. Available in rolls and tiles, this durable surface sets the standard for performance, quality, and affordability.

Markets



Fitness
Student Rec

Benefits

Shock absorbent
Durable
Affordable
Easily maintained


Color Options

(All colors not shown; visit ecoreathletic.com for additional color options.)

					
Basic Black EL00	Buff Blue 10 EL01	Grippin Gray 10 EL02	Buff Blue / Gray 10 EL04	Rippin Red 10 EL05	Steel Appeal 2 EL15A
					
Mocha Latte 2 EL43A	Wildcats 3 EL100B	Blue Jays EL103	Cardinals EL104	Dark Gray EL502	Raiders EL503

Dimensions	Rolls	8mm x 48" (1.22m) 6mm x 48" (1.22m) standard/custom 9mm x 48" (1.22m) standard/custom
	Interlocking Tiles	8mm x 23" x 23" (58cm)

All colors may not be available in all formats;
refer to website for additional color and format options.



8mm
Composition Rubber

10.4%

Force Reduction
Absorption of impact energy

71.9%

Energy Restitution
Useful return of impact energy

UltraTile®

This premium composition rubber flooring provides unrivaled comfort, safety, and noise control.



UltraTile is designed with a patented “ultra” high-density wear layer on a molded base. This 24-by-24-inch modular tile offers enhanced shock absorption against impact in moderate to extreme weight drop applications.

Markets






Fitness
Sports
Student Rec

Benefits

15 year warranty
Sound and shock absorbent
Easy installation with Quad Blok installation system
Slip-resistant, wet or dry
Extremely durable
Custom color and logo options


Color Options

(All colors not shown; visit ecoreathletic.com for additional color options.)

					
Basic Black EL00	Steel Appeal 2 EL15A	Mocha Latte 2 EL43A	Buff Blue 20 EL45	Grippin Gray 20 EL46	Rippin Red 20 EL47
					
Wildcats 3 EL100B	Blue Jays EL103	Cardinals EL104	Blue EL500	Dark Gray EL502	Raiders EL503

Dimensions

Tiles1" x 24" (61cm) x 24" (61cm)



2.5mm
Composition Rubber

22.9mm
Molded Base

>>>

50.2%

Force Reduction
Absorption of impact energy

>>>

47.9%

Energy Restitution
Useful return of impact energy



The Lyon Center University of Southern California

Los Angeles, CA

The Challenge.

As one of the world's leading private research universities, USC not only focuses on academics but also encourages an active lifestyle by providing free gym memberships to all students.

As a result of this heavy daily stream of students, USC recognized that updating the floor in the Klug Family Fitness Center weight room would remedy the existing tripping hazard and allow migration of the equipment around the space. The material would have to be low-maintenance, sound- and shock-absorbent, and visually appealing.

The Lyon Center also needed to upgrade its locker rooms. The new floor not only needed to look better than the existing ceramic tile, but it also had to absorb impact force should someone still fall.

Our Solution: **UltraTile®** & **Rally**.

2,000 square feet of Everlast UltraTile was installed in USC's weight facility. The surface's patented "ultra" wear layer on a molded base provides superior noise and shock absorption. The ergonomic option of UltraTile reduces the constant impact of repetitive training, giving the students the best support in their daily routines.

In the locker room upgrade, 7,000 square feet of Performance Rally was installed. This 14.5mm dual durometer system is engineered to absorb impact force. It's much safer than ceramic tile, and meets both the aesthetic and functional needs of such a high-use area.



Collections: Everlast & Performance

Products: UltraTile & Rally

Dimensions: 2,000 sq ft Ultratile/ 7,000 sq ft Rally



SmashTile

For areas with heavy weights and impacts, where shock and sound absorption are critical.



This 2-foot by 2-foot by 2.5-inch molded tile is designed for areas where extreme durability and ultimate sound and shock absorption are required. SmashTile mitigates the shock and sound resulting from large weight being released onto its surface by absorbing impact. SmashTile is the perfect complement to platform style weight lifting.

Markets













Fitness
Sports
Student Rec

Benefits

Superior sound and shock absorption
Patented “ultra” high-density wear layer
Slip-resistant
Easy installation with Quad Blok installation system


Color Options

(All colors not shown; visit ecoreathletic.com for additional color options.)

					
Basic Black EL00	Steel Appeal 2 EL15A	Mocha Latte 2 EL43A	Buff Blue 20 EL45	Grippin Gray 20 EL46	Rippin Red 20 EL47
					
Wildcats 3 EL100B	Blue Jays EL103	Cardinals EL104	Blue EL500	Dark Gray EL502	Raiders EL503

Dimensions

Tiles2.5" x 24" (61cm) x 24" (61cm)



2.5mm
Composition Rubber

61mm Molded
Base Layer

>>>

67.7%

Force Reduction
Absorption of impact energy

>>>

46.1%

Energy Restitution
Useful return of impact energy





If the athlete matters,
the surface they use matters.

Ecore creates surfaces that capture the
negative energy of impact and return
positive energy to the athlete.

NRG Factor:

Managing Force Reduction and Energy Restitution
to deliver optimal performance.







Performance Collection

Quiet

Safe

Customizable

This family of products offers everything an athletic director or head coach needs to create an ideal training and performance environment for his or her athletes.

Performance

PRODUCTS	PRODUCT FEATURES		CONSTRUCTION				
Performance Collection	Description	Benefits	Colors	Rolls	Tiles	Planks	
Motivate	Colorful rubber wear layer fusion-bonded to a cushion composition rubber backing	Sound and shock absorption during fitness activities	12	●			
Rally	Fusion-bonded ergonomic floor	Dynamic energy return, comfort, and slip resistance while standing or walking	13	●	●		
Beast	Fusion-bonded for heavy strength training	Extreme durability, maximum energy restitution	13	●			
Monster	Fusion-bonded for extreme strength and conditioning	Durability and firm footing in strength training, ergonomic in functional training	13	●			
Speed & Agility Turf	Turf fusion-bonded to composition rubber, interlocking tile is ideal for portable/temporary turf systems	Non infill turf, ideal for footwork drills including hills and sled lanes	1	●	●		

APPLICATIONS															
Restrooms	Locker Rooms	Cardio	Entrances & Common Areas	Light Weight Areas	Moderate Weight Areas	Extreme Weight Areas	Strength Equipment	Functional Training	Group Exercise	Indoor Turf	Food Service Area	Wet Areas	Retail	Ice Rinks	Tracks
		●		●			●								
		●		●	●		●	●							●
		●		●	●	●	●								
		●		●	●	●	●	●							
				●	●			●		●					

Motivate

Colorful wear layers fused with durable composition rubber support daily workouts and functional training.



Tailored for light strength and conditioning, this 7.5mm surface combines an Ecore wear layer with a 5mm base layer. The result: a balanced distribution of force reduction and energy restitution, designed for the shift in fitness from equipment to more functional training.

(For indoor use only.)

Markets

Fitness

Sports

Student Rec

Benefits

Sound and shock absorbent


Fade resistant/wears well

Slip-resistant wet or dry


Color Options




Steel Appeal 2
ES15A




Mocha Latte 2
ES43A



Wildcats 2
ES100A




Vikings
ES101




Lions
ES102




Blue Jays
ES103




Cardinals
ES104




Devils
ES105



Tigers
ES106



Gators 2
ES107A





Blue
ES500



Dark Gray
ES502

Dimensions	Rolls	7.5mm (2.5mm+5mm) x 48"
------------	-------	-------------------------



Rally

Working with the total athlete to absorb impact and return energy to accelerate daily training.



Tailored for heavy conditioning, this 14.5mm product showcases a dynamic force reduction of 35.40%. This dual durometer system is engineered to absorb the impact force related to aggressive functional training, providing an ergonomically advanced surface that works in concert with the body.

(For indoor use only.)

Markets

Fitness
Sports
Student Rec

Benefits

Sound and shock absorbent
Fade resistant/wears well
Slip-resistant wet or dry

Color Options


(All colors not shown; visit ecoreathletic.com for additional color options.)




Basic Black
ES00




Steel Appeal 2
ES15A




Mocha Latte 2
ES43A




Wildcats 2
ES100A




Lions
ES102




Blue Jays
ES103




Cardinals
ES104




Devils
ES105



Tigers
ES106



Gators 2
ES107A





Blue
ES500



Dark Gray
ES502

Dimensions	Rolls	14.5mm (2.5mm+12mm) x 48"
	Interlocking Tiles	14.5mm (2.5mm+12mm) x 23" x 23"



Beast

For areas primarily used for free weight training.



Designed for heavy strength training, this 10.5mm system features an angry base layer that maximizes energy restitution. This dual durometer system is engineered to enhance durability in applications dominated by free weight training.

(For indoor use only.)

Markets

Fitness

Sports

Student Rec

Benefits


Sound and shock absorbent

Fade resistant/wears well

Slip-resistant wet or dry


Color Options

(All colors not shown; visit ecoreathletic.com for additional color options.)



Dimensions

Rolls10.5mm (2.5mm+8mm) x 48"



Monster

Supporting the elite athlete by providing the ultimate support for daily workouts and flexibility in design.



Custom-made for extreme strength and conditioning, this 22.5mm system features a 10.5mm Performance Beast Roll field united to a 12mm ShockPad. The resulting triple durometer system combines the durability and firm footing desired in strength training with the ergonomic demands of aggressive functional training in one surface.

(For indoor use only.)

Markets

Fitness

Sports

Student Rec






Benefits

Sound and shock absorbent

Fade resistant/wears well

Slip-resistant wet or dry


Color Options

(All colors not shown; visit ecoreathletic.com for additional color options.)Basic Black
ES00Steel Appeal 2
ES15AMocha Latte 2
ES43AWildcats 2
ES100ALions
ES102Blue Jays
ES103Cardinals
ES104Devils
ES105Tigers
ES106Gators 2
ES107ABlue
ES500Dark Gray
ES502

Dimensions

Rolls

22.5mm (2.5mm+8mm+(12mm)) x 48"

**38.1%****Force Reduction**

Absorption of impact energy

**53.5%****Energy Restitution**

Useful return of impact energy



San Diego State University Athletic Center

San Diego, CA

The Challenge.

At a Division 1 school like San Diego State University (SDSU), sports are serious business. When SDSU renovated the Fowler Athletic Center, the 4-story, 130,000-square foot facility had to work for all of its sports programs.

The renovation particularly focused on the 13,000-square foot weight room, with a goal to become more competitive with other D1 schools and provide a more efficient training space for the 85 football players training at any given time. The existing floor was less than half an inch thick, resulting in a negative impact on athletes' joints, weights bouncing in an unsafe way, and generally unappealing wear and tear.

Our Solution: **Monster.**

The team found a solution in Ecore Monster, a 22.5-millimeter thick rubber athletic surface that is designed for extreme strength and conditioning. This triple durometer system combines the durability and firm footing needed for intense strength training with the ergonomic performance necessary for aggressive functional training.

The new weight room surface features 25 in-laid Olympic weightlifting platforms complete with custom logos. Today, up to six athletes are able to work at each weightlifting station at the same time. The shock-absorbent floors minimize weight bounce and joint impact, allowing the SDSU football team to train safely.



Collection: Performance

Product: Monster

Dimensions: 13,000 sq ft



Speed & Agility Turf

Durable and resistant to slips, this tight-weaved turf-like product is ideal for functional and competitive training.



This turf features an extremely dense, textured, nylon wear layer fusion-bonded to a 5mm or 12mm base layer. This consistent, tight surface is ideal for footwork drills and sled work.

(For indoor use only.)

Markets

Fitness

Student Rec

Benefits

No infill



Portable (Interlocking Tile)

Meets specifications for competitive field hockey, lacrosse, and soccer fields

Available in Turf Green as shown.



Dimensions	Rolls	8mm (3mm + 5mm) x 72" (1.83m) x 35LF (10.67m) 15mm (3mm + 12mm) x 72" (1.83m) x 25LF (7.62m) Custom roll lengths are available.
	Interlocking Tiles	15mm (3mm + 12mm) x 23" (58.42cm) x 46" (116.84cm) Interlocking tiles are available with a coordinating interlocking transition system.





Elevate Collection

Low-maintenance

Welcoming

Slip-resistant

Elevate is a collection of products designed to elevate the fitness space from the entryway to locker room.

Elevate

PRODUCTS	PRODUCT FEATURES		CONSTRUCTION				
Performance Collection	Description	Benefits	Colors	Rolls	Tiles	Planks	
Roster	Non-woven fusion-bonded to composition rubber, interlocking tile is ideal for portable/ temporary systems	Durable, portable, and easy to install	3		●		
Bounce 2	Heterogeneous sheet vinyl with a fusion-bonded rubber base layer	Quiet underfoot, ergonomic, low maintenance due to protective wear layer	6	●			
Spectator	Luxury vinyl tile	Durable in heavy commercial areas	16		●	●	
Frictional	Vinyl safety floor	Slip-resistant, enhanced coefficient of friction to prevent falls	6	●			
Aqueous	Vinyl safety floor	Extreme slip-resistant	5	●			

APPLICATIONS															
Restrooms	Locker Rooms	Cardio	Entrances & Common Areas	Light Weight Areas	Moderate Weight Areas	Extreme Weight Areas	Strength Equipment	Functional Training	Group Exercise	Indoor Turf	Food Service Area	Wet Areas	Retail	Ice Rinks	Tracks
			●										●		
	●	●	●						●						
●	●		●								●		●		
●	●										●				
●	●											●			

Roster

This durable product is perfect for high-traffic areas in fitness centers or gyms.



Roster features a unique non-woven surface that is fusion-bonded to a 5mm base layer and is offered in an interlocking format. This product is ideal for entryways or transition areas.

(For indoor use only.)

Markets

Fitness

Sports

Student Rec

Benefits

Durable

Portable

Provides moisture mitigation

Easy to install


Color Options



Blue



Brown




Charcoal

Dimensions

Interlocking
Tiles

23" Interlocking Tiles (7mm)

7mm (2mm + 5mm) x 23" (58cm) x 23" (58cm)

**19.1%****Force Reduction**

Absorption of impact energy

**62.8%****Energy Restitution**

Useful return of impact energy



Bounce 2

For courts, dance, and group fitness, Bounce 2 contributes to the overall safety of the environment.



Bounce 2 features a synthetic wood-grain surface that is fusion-bonded to a 5mm base layer. The result is beautiful flooring that looks like real wood, but is more economical, durable, and easier to clean.

(For indoor use only.)





Markets

- Fitness
- Sports
- Student Rec

Benefits

- Hygienic because of heat welded installation
- Quiet underfoot
- Ergonomic
- Low maintenance due to protective wear layer
- Can paint lines on surface


Color Options

Wheat
ES203Chestnut
ES204Chocolate
ES205Graphite
ES206Sandstone
ES207Slate
ES208

Dimensions

Rolls

7mm (2mm + 5mm) x 72" (1.83m) x 30LF (9.14m). Weld rod required.

**Force Reduction**

Absorption of impact energy

11.9%**Energy Restitution**

Useful return of impact energy

68.4%

Crunch Fitness

Stockton, CA

The Challenge.


Crunch Fitness is a heavy-lifter in the fitness industry, but one of the challenges of being a quickly growing franchise is making sure that members at every location get the same high-quality, high-performance experience.

With nearly 30 different types of classes and 3,000 members working out at a single location, finding a floor that increases safety, decreases impact and shock, and absorbs enough sound so the gym doesn't sound like an echo chamber is no easy feat.

Our Solution: **Bounce 2.**

Both Ecore and Crunch want athletes and fitness buffs to get an elite experience. In 2015, Ecore inked a deal with the fitness giant to be the exclusive provider of all athletic surfaces for its gym locations.


To enhance Crunch's brand, Ecore provides Rally for the general fitness and free weight area in a custom blue color, and Motivate for the ride studio in custom red, along with Bounce 2 in graphite for their Group X studios, and a special Crunch Turf for their turf areas. The result is a comprehensive flooring system that is engineered to absorb the impact and sound related to aggressive functional training, while providing an ergonomically advanced surface that works in concert with the body and is safe for falls.



Collection: Elevate

Product: Bounce 2

Dimensions: 600 sq ft



Spectator

Elevate your facility's common spaces with the beautiful finishes Spectator offers.



Spectator is a 2.5mm luxury tile in high-end wood and texture visuals. These planks and tiles are suited for heavy commercial areas within your facility.

Markets

Fitness

Sports

Student Rec












Benefits

High-end look

Designed for heavy commercial areas

Easy to install

Color Options


(All colors not shown; visit ecoreathletic.com for additional color options.)Beach Oak
400Light Ash
401Saddle Oak
402Golden Elm
405Rich Walnut
406Dark Ash
407Urban Cement
450Mocha Linen
451Smoked Cement
452Buff Cement
454Steel Linen
456Charcoal Linen
457

Dimensions

Wood (except Dark Ash)	2.5mm x 6" x 36" (15cm x 491cm) planks
---------------------------	--

Dark Ash	2.5mm x 7" x 48" (18cm x 122cm) planks
----------	--

Texture	2.5mm x 18" x 18" (46cm x 46cm) tiles
---------	---------------------------------------

**-1.5%****Force Reduction**

Absorption of impact energy

79.2%**Energy Restitution**

Useful return of impact energy

Frictional

For locker rooms and bathrooms, Frictional vinyl safety flooring prevents slips and falls.



Frictional is a 2mm vinyl safety flooring with an enhanced coefficient of friction to prevent falls in traffic areas where slipping may occur.

(Only available for sale in the United States.)

Markets

Fitness

Sports

Student Rec

Benefits







Slip-resistant

Designer look

Minimal maintenance

Easy to install


Color Options

Nightsky
4760Woodland Gray
4770Whirlpool
4805Galactic
4815Bisque
4860Barley
5500

Dimensions

Rolls


2mm x 6.56' W (2m) x 65.61LF (20m). Weld rod required.

**-0.3%****Force Reduction**

Absorption of impact energy

**78.6%****Energy Restitution**

Useful return of impact energy



Aqueous

Slip-resistant surfacing provides a beautiful finish with minimal maintenance required.



This 2mm vinyl safety flooring is engineered with slip-resistant particles and a raised emboss for added slip resistance. Offered in 6-foot, 7-inch wide rolls with heat welded seams.

(Only available for sale in the United States.)

Markets

Sports

Fitness

Student Rec

Benefits






Slip-resistant

Designer look

Minimal maintenance

Easy to install


Color Options

Amazon
4252Colorado
4253Black Volta
4255Tigris
4257Adriatic
4258

Dimensions

Rolls

2mm x 6.56' W (2m) x 65.61LF (20m). Weld rod required.



2mm Slip-resistant Vinyl

**Force Reduction**

Absorption of impact energy

-1.7%**Energy Restitution**

Useful return of impact energy

78.8%

Surface America

Surface America is a subsidiary of Ecore that provides the complete installation of recreational and athletic surfacing. For 25 years, Surface America has provided project management, construction services, surfacing installation, supervision, and warranty service for thousands of projects throughout the U.S.

Every Surface America system is designed and manufactured with long-term performance in mind. Surface America selects the best material components available to design each surface with the characteristics necessary for the application.

Ecore Athletic is proud to offer the following Surface America systems.

Visit surfaceamerica.com for more information.



RecSport Turf Installed Outdoor System



RecSport Turf has the look of beautiful natural grass but with little maintenance and world-class toughness. This system features a polyethylene fiber tufted into a backing paired with a composition rubber base layer. The resilient base layer provides great shock absorption and the turf layer requires no infill.

Markets

Fitness
Student Rec
Sports

Benefits

Outdoor with perforations
for drainage

Custom logos, lines,
and designs

No infill needed

EverTop Outdoor Poured-in-Place System



EverTop is a half-inch, wet poured, one-layer, troweled-on-site system featuring polyurethane. This surface is specifically designed for outdoor multipurpose areas.

Markets

Fitness

Student Rec

Benefits

Outdoor

Custom logos, lines,
and designs

When used with aliphatic urethane binder = 10-year warranty; when used with aromatic urethane binder = 7-year warranty.

ElastoFloor Poured-in-Place System



ElastoFloor Roll-Pour system is engineered specifically for use as an indoor basketball, volleyball, tennis, racquetball, squash, multi-sport court or track. This seamless surface consists of three layers of poured urethane over a pre-fabricated and fully adhered composition rubber base layer.

Markets

Fitness
Student Rec
Sports

Benefits


Shore A hardness, shock absorbent, installed system
Non-porous, excellent slip and wear resistance
Custom logos, lines, and designs



So, is the floor your most critical piece of equipment?

Yes.

A floor can be more than just a passive surface. By harnessing the attributes of recycled rubber, we've designed innovative ways to give you



Bringing these attributes together in expert proportions, we've created tailored surfaces that make lives better, while also protecting the planet.

This is Ecore's definition of
SUSTAINABILITY

Can a floor make people's lives better in their environment, while simultaneously benefitting the natural environment?

Yes.

ecore | Built by Yes.



ecore™ | Athletic

ecoreathletic.com